

Tyres with tractor pattern

CLICK HERE TO BUY THESE TYRES ONLINE NOW FROM WWW.ALL TERRAIN TYRES.CO.UK

											
Dimension	PR/LI	Tread pattern	TL/TT	Sales unit	57 07562 +	mm	mm	kg	km/h	bar	
4"											
3.00-4	4PR	Kenda K357	TL	Tyre	129532	280	93	170	16	4.25	2.10
4.00-4	4PR	Kenda K357	TL	Tyre	129778	310	97	155	16	2.80	2.10
5"											
3.50-5	2PR	ST-40	TR87	Set	129624	307	86	70	16	1.25	3.00
	2PR	ST-41	TT	Tyre	265735	310	91	70	16	1.26	2.50
6"											
3.50-6	4PR	Kenda K357	TL	Tyre	129662	340	94	165	16	2.90	2.50
4.10-6	2PR	Kenda K467 Polar Trac	TL	Tyre	271057	325	102	130	16	1.65	3.25
	2PR	Kenda K478	TL	Tyre	270982	325	102	130	16	1.65	3.25
6-6	2PR	Conti AS Farmer	TT	Tyre	132785	425	145	110	16	1.00	4.00E
11x6.00-6	2PR	ST-40	TL	Tyre	265773	285	142	85	16	1.00	4.50
13x5.00-6	2PR	Kenda K478	TL	Tyre	271026	325	127	135	16	1.38	3.50
	4PR	ST-45	TL	Tyre	130422	333	119	170	16	2.20	3.50
14x4.50-6	2PR	Carlisle Super Lug	TL	Tyre	264554	368	117	146	16	1.38	3.25
15x5.00-6	2PR	Kenda K467 Polar Trac	TL	Tyre	271071	375	131	195	16	1.24	3.50
	2PR	Kenda K478	TL	Tyre	271019	375	131	195	16	1.24	3.50
7"											
4.00-7	4PR	ST-40	TT	Tyre	232171	395	100	100	16	3.00	3.00
	4PR	ST-40	TR13	Set	129914	395	100	100	16	3.00	3.00
8"											
3.50-8	4PR	Kenda K357	TL	Tyre	129709	384	93	190	16	2.80	2.50A
4.80/4.00-8	4PR	ST-40	TL	Tyre	153278	412	115	110	16	1.20	3.75
4.00-8	4PR	ST-48 Super	TT	Tyre	130064	425	111	155	16	2.25	2.50A
4.80/4.00-8	4PR	Kenda K357	TL	Tyre	129976	416	120	155	16	2.20	2.50
	2PR	ST-40	TL	Tyre	270814	412	115	110	16	1.20	3.75
	2PR	Kenda K467 Polar Trac	TL	Tyre	271064	416	120	200	16	2.10	3.75
4.80-8	2PR	Kenda K478	TL	Tyre	270999	423	113	200	16	1.38	3.75
16x6.50-8	2PR	Kenda K467 Polar Trac	TL	Tyre	271088	420	155	190	16	0.97	5.375
	2PR	Kenda K478	TL	Tyre	271002	420	155	190	16	0.97	5.375
	4PR	ST-45	TL	Tyre	128269	425	163	280	16	1.90	5.375I
	4PR	Carlisle Tru Power	TL	Tyre	264608	406	170	282	16	1.93	5.375I
17x8.00-8	4PR	Kenda K359	TL	Tyre	265421	453	188	370	25	1.50	5.375
	4PR	Bridgestone FM2	TL	Tyre	133522	448	205	325	16	2.40	7.00
18X7.00-8	4PR	Conti AS Farmer	TL	Tyre	133560	460	178	325	25	2.00	5.50A
18x8.00-8	4PR	Kenda K359	TL	Tyre	270647	440	210	370	16	1.52	7.00
18x9.50-8	4PR	ST-45	TL	Tyre	150611	470	223	405	16	1.60	7.00I
20x10.00-8	4PR	Carlisle Super Lug	TL	Tyre	269269	511	246	541	16	1.52	7.00I
21x11.00-8	2PR	ST-45	TL	Tyre	128757	515	274	410	16	0.70	9.00
	4PR	ST-45	TL	Tyre	232263	515	274	650	16	1.50	9.00
	4PR	Kenda K472 Chevron Bar	TL	Tyre	270654	540	276	155	16	0.34	9.00
	4PR	Carlisle AT101 Chevron	TL	Tyre	264851	538	277	651	16	1.52	8.50



Tyres with tractor pattern



CLICK HERE TO BUY THESE TYRES ONLINE NOW FROM [WWW.ALL TERRAIN TYRES.CO.UK](http://WWW.ALLTERRAIN TYRES.CO.UK)

       											
Dimension	PR/LI	Tread pattern	TL/TT	Sales unit	57 07562 +	mm	mm	kg	km/h	bar	
10"											
4.00-10	4PR	ST-40	TT	Tyre	153285	480	115	265	16	2.75	3.50B
	4PR	Kenda K365	TT	Tyre	130170	495	111	170	16	2.25	3.50B
4.50-10	4PR	Kenda K365	TT	Tyre	130217	516	111	205	16	2.25	3.50B
5.0-10	2PR	ST-44	TT	Tyre	134550	510	135	180	30	1.25	3.50B
5.00-10	4PR	ST-40	TT	Tyre	153292	528	136	280	16	2.80	3.50B
	4PR	Kenda K365	TT	Tyre	130279	542	126	250	16	2.25	3.50B
18x8.50-10	4PR	Carlisle Tru Power	TL	Tyre	264707	460	193	378	16	1.52	6.00
20x8.00-10	4PR	ST-47	TT	Tyre	128719	508	213	400	16	1.60	6.00
	10PR	ST-47	TT	Tyre	128733	526	196	800	16	6.30	6.00
20x10.00-10	4PR	Bridgestone FM1	TT	Tyre	133706	505	245	465	16	2.00	8.50
21x11.00-10	4PR	Carlisle AT101 Chevron	TL	Tyre	264844	531	264	628	16	1.52	8.50
22x9.50-10	4PR	Carlisle All Trail II	TL	Tyre	264912	559	241	582	16	1.52	7.75
22x11.00-10	4PR	Kenda K472 Chevron Bar	TL	Tyre	261447	548	256	630	16	1.60	8.50
	6PR	Kenda K502 Terra Trac	TL	Tyre	259130	564	289	870	16	2.40	8.50
24x9.50-10	4PR	Carlisle All Trail II	TL	Tyre	265131	610	246	642	16	1.52	7.50
24x10.50-10	4PR	Carlisle All Trail II	TL	Tyre	265032	622	274	678	16	1.38	8.00
12"											
4.00-12	4PR	ST-40	TT	Tyre	134444	526	114	300	16	2.75	3.00D
	4PR	Trelleborg T63	TL	Tyre	125916	530	112	300	30	2.80	3.00D
5-12	4PR	Bridgestone FSLM	TT	Tyre	132761	550	123	220	16	2.30	4.00JA
	4PR	Carlisle Tru Power	TL	Tyre	151533	528	127	225	32	2.40	4.00
5.00-12	4PR	ST-40	TT	Tyre	153308	584	146	300	16	2.80	4.00
	4PR	Kenda K365	TT	Tyre	130286	580	132	255	16	2.00	4.00
6-12	4PR	Carlisle Tru Power	TL	Tyre	264486	577	145	268	16	1.93	5.00
	4PR	Trelleborg T63	TL	Tyre	125206	585	155	230	30	2.00	4.00
6.00-12	4PR	Kenda K365	TT	Tyre	130354	620	154	325	16	1.75	4.00
6.5/80-12	4PR	ST-45	TT	Tyre	134642	604	165	490	16	2.40	5.00
7-12	4PR	Carlisle Tru Power	TL	Tyre	264493	607	165	325	16	1.66	5.00
7.00-12	6PR	ST-44	TT	Tyre	137964	685	195	680	30	2.50	5.00JA
23x8.50-12	4PR	ST-45	TL	Tyre	126098	582	208	509	30	1.40	7.00I
	4PR	Carlisle Tru Power	TL	Tyre	264998	569	208	507	16	1.52	7.00
	4PR	Trelleborg T463	TL	Tyre	125602	569	217	650	30	2.40	7.00I
	6PR	ST-45	TL	Tyre	278384	581	208	656	30	2.30	7.00
	10PR	Trelleborg T463	TL	Tyre	190235	572	210	1042	30	3.70	7.00



Kenda K467 Polar Trac

Kenda K472 Chevron Bar

Kenda K478

Kenda K502 Terra Trac

Deestone D316

Tyres with tractor pattern

CLICK HERE TO BUY THESE TYRES ONLINE NOW FROM WWW.ALL TERRAIN TYRES.CO.UK

       											
Dimension	PR/LI	Tread pattern	TL/TT	Sales unit	57 07562 +	mm	mm	kg	km/h	bar	
12"											
23x10.50-12	4PR	ST-45	TL	Tyre	133904	592	244	610	30	1.40	8.50l
	4PR	Kenda K467 Polar Trac	TL	Tyre	270951	580	260	610	16	1.38	8.50
	4PR	Kenda K502 Terra Trac	TL	Tyre	206264	583	260	610	16	1.40	8.50
	4PR	Carlisle Tru Power	TL	Tyre	264950	592	254	610	16	1.38	8.50l
	4PR	Trelleborg T463	TL	Tyre	125565	579	264	740	30	2.00	8.50l
	6PR	ST-45	TL	Tyre	133911	592	244	800	30	2.25	8.50l
24x12.00-12	4PR	Kenda K472 Chevron Bar	TL	Tyre	270975	600	302	770	16	1.40	8.50
	4PR	Carlisle AT101 Chevron	TL	Tyre	265070	605	310	774	16	1.38	8.50l
26x12.00-12	4PR	ST-45	TL	Tyre	132372	645	295	809	30	1.40	10.50l
	4PR	Trelleborg T411	TL	Tyre	125664	662	318	545	30	2.00	10.50l
	4PR	Trelleborg T463	TL	Tyre	125657	639	317	930	30	2.70	10.50l
	6PR	Carlisle Tru Power	TL	Tyre	265230	650	312	1024	16	2.07	8.50l
	8PR	ST-45	TL	Tyre	132389	655	320	1370	16	3.40	10.50l
	8PR	Trelleborg T463	TL	Tyre	151137	658	322	1390	30	3.40	10.50l
	10PR	ST-45	TL	Tyre	134079	640	324	1410	16	3.60	10.50l
	10PR	Carlisle Tru Power	TL	Tyre	265247	650	312	1415	16	3.59	8.50l
14"											
5-14	4PR	Bridgestone FSLM	TT	Tyre	132778	605	128	250	16	2.50	4.00JA
6-14	4PR	Bridgestone FSLM	TT	Tyre	134895	653	155	305	16	2.00	5.00JA
7-14	4PR	Bridgestone FSLM	TT	Tyre	134901	687	170	370	16	1.80	5.00JA



The tyre diameter and tyre section width increase naturally during normal service. It is therefore important that the intended vehicle is checked for sufficient clearance to allow for growth - if in any doubt, consult STARCO for details.



Bridgestone FM1



Bridgestone FM2



Bridgestone FSLM



Carlisle All Trail II



Carlisle AT101 Chevron



Carlisle Super Lug

Tyres with tractor pattern

CLICK HERE TO BUY THESE TYRES ONLINE NOW FROM WWW.ALL TERRAIN TYRES.CO.UK

											
Dimension	PR/LI	Tread pattern	TL/TT	Sales unit	57 07562 +	mm	mm	kg	km/h	bar	
15"											
5.00-15	6PR	ST-45	TT	Tyre	152677	645	133	387	16	2.25	4.00
6.5/80-15	6PR	ST-45	TT	Tyre	134666	650	163	750	16	3.60	5.00
7.50-15	6PR	ST-44	TT	Tyre	151205	778	214	710	16	3.70	5.50
29x12.50-15	4PR	Trelleborg T411	TT	Tyre	125701	742	310	880	16	1.40	10.00LB
	6PR	Carlisle Tru Power	TL	Tyre	265292	744	295	778	16	2.07	10.00
29x13.50-15	4PR	Trelleborg T411	TT	Tyre	125718	742	351	960	16	1.40	10.00LB
31x11.50-15	4PR	Tredlite	TL	Tyre	134246	798	298	925	16	1.40	8.00
31x15.50-15	4PR	Trelleborg T412	TL	Tyre	125763	810	380	1150	30	2.60	13.00LB
	8PR	Carlisle Tru Power	TL	Tyre	265315	798	384	1256	16	3.10	13.00
	8PR	Tredlite	TL	Tyre	134277	804	390	1080	80	3.10	13.00
	8PR	Trelleborg T412	TL	Tyre	261492	810	380	1400	30	3.20	13.00
	121/117B	ST-45	TL	Tyre	271842	797	372	1450	50	4.20	13
400/50-15 31x15.5-15	135A8 (8PR)	Conti All-Service G	TL	Tyre	261454	753	378	2180	40	3.20	13LB
690x180-15	100A8	Trelleborg Traction	TL	Tyre	268934	685	179	800	40	3.30	4.50E
16"											
4.00-16	2PR	Conti AS Farmer	TL	Tyre	134482	628	114	260	30	1.50	3.00
6.00-16	6PR	ST-44	TT	Tyre	137940	735	169	520	30	2.60	4.50E
7-16	4PR	Bridgestone FSLM	TT	Tyre	134918	738	179	405	16	1.90	5.00JA
7.50-16	8PR	ST-44	TT	Tyre	137971	810	206	870	30	3.70	5.50F
8-16	4PR	Bridgestone FSLM	TT	Tyre	132877	785	197	475	16	1.60	5.00JA
18"											
8-18	4PR	Bridgestone FSLM	TT	Tyre	132891	840	207	515	16	1.60	6.00W
425/50-18	134G	STARCO Alptrak	TL	Tyre	278544	886	413	2120	90	3.50	W14L
24"											
9.5-24	8PR	Deestone D409	TT	Tyre	292427	1048	241	850	40	2.10	W8



STARCO

- Widest programme in the market
- From 4" up to 24"
- Tractor pattern
- Flotation tyres



Deestone D409



Conti All-Service G



Tredlite



Trelleborg T411



Trelleborg T412



Trelleborg T463



Trelleborg Traction