

ATV tyres

Off road



CLICK HERE TO BUY ATV TYRES ONLINE NOW FROM WWW.ALLTERRAINTYRES.CO.UK

Dimension	PR/LI	Tread pattern	TL/TT	Sales unit	57 07562+ EAN-13	mm	mm	kg	km/h	bar	E	
6"												
145/70-6	18F (4PR)	Kenda K290 Scorpion	TL	Tyre	272351	363	135	75	80	0.35	4.50	E
	18F (4PR)	Kenda K545	TL	Tyre	278131	360	137	75	80	0.35	4.50	E
	18F (4PR)	Kenda K570	TL	Tyre	292922	360	141	165	80	0.35	4.50	
7"												
16x7-7	28F	Kenda K570	TL	Tyre	265407	403	170	100	80	0.70	5.20	E
16x8-7	28F	Kenda K570	TL	Tyre	265414	403	170	100	80	0.70	5.20	E
16x8.00-7	28F	Kenda K290 Scorpion	TL	Tyre	128320	390	178	100	80	0.35	5.00	E
	28F	Kenda K530F Pathfinder	TL	Tyre	128337	392	178	100	80	0.35	5.00	E
18x7.00-7	23F	Kenda K530F Pathfinder	TL	Tyre	128375	438	166	87	80	0.35	5.00	E
8"												
18x6.50-8	4PR	Carlisle Snow Hog	TL	Tyre	264660	439	168	350	16	1.93	5.375	
18x9.50-8	30F	Kenda K290 Scorpion	TL	Tyre	128474	472	224	106	80	0.85	7.00l	E
	30F	Kenda K530 Pathfinder	TL	Tyre	128481	459	234	106	80	0.35	7.00l	E
	30F (4PR)	Kenda K545	TL	Tyre	278148	458	237	106	80	0.35	7.00	E
18x10-8	4PR	Kenda K581	TL	Tyre	292892	446	254	103	80	0.35	8.50	
18x10.50-8	29N	Kenda K533 Klaw	TL	Tyre	265438	462	260	103	140	0.35	8.50	
	28F	Kenda K535 Knarly	TL	Tyre	265445	468	268	100	80	0.35	8.50	
	29N (4PR)	Kenda K577SX	TL	Tyre	271125	462	268	103	140	0.34	8.00	E
19x7.00-8	30F	Kenda K290 Scorpion	TL	Tyre	128535	483	176	106	80	0.35	5.25l	E
	30F	Kenda K530F Pathfinder	TL	Tyre	128542	478	174	106	80	0.35	5.50l	E
19x8-8	24F (4PR)	Kenda K543	TL	Tyre	270838	482	208	90	80	0.34	7.00	E
20x7-8	23F (4PR)	Kenda K542F	TL	Tyre	270845	492	178	87	80	0.34	5.50	E
20x7.00-8	23F	Kenda K290 Scorpion	TL	Tyre	128672	483	180	87	80	0.70	5.375l	E
	23F	Kenda K300F Dominator	TL	Tyre	128689	508	177	87	80	0.35	5.50l	E
20x10.00-8	35F	Kenda K290 Scorpion	TL	Tyre	128559	520	234	121	80	0.35	8.00l	E
20x10.50-8	4PR	Kenda K533 Klaw	TL	Tyre	278186	512	275	132	80	0.35	8.50	E
20x11-8	6PR	Kenda K533 Klaw	TL	Tyre	151625	526	280	155	80	0.50	8.00l	
20x11.00-8	38F	Kenda K300 Dominator	TL	Tyre	128627	518	269	132	80	0.35	9.00l	E
21x10.00-8	37N	Kenda K533 Klaw	TL	Tyre	265568	527	280	128	140	0.35	7.00	E
22x10-8	25F (4PR)	Kenda K575A	TL	Tyre	292946	559	254	92.5	80	0.35	8.00	E
22x10.00-8	2PR	Kenda K290 Scorpion	TL	Tyre	128801	547	242	125	80	0.35	8.00l	
	39F	Kenda K300 Dominator	TL	Tyre	128825	558	254	136	80	0.35	8.00l	E
		Goodyear Runamuk	TL	Tyre	138558	572	244	134	80	0.35	7.00l	
22x11-8	6PR	Kenda K533 Klaw	TL	Tyre	151632	575	282	180	80	0.50	8.00l	
	43N (4PR)	Kenda K575A	TL	Tyre	271170	563	282	155	140	0.34	8.50	E
22x11.00-8	2PR	Kenda K277 Dirt Dog	TL	Tyre	128887	554	249	155	80	0.35	9.00l	
	2PR	Kenda K290 Scorpion	TL	Tyre	128870	559	250	155	80	0.35	9.00l	
	31F	Kenda K300 Dominator	TL	Tyre	128894	559	271	109	80	0.35	8.50l	
	2PR	Kenda K530 Pathfinder	TL	Tyre	128818	558	271	155	80	0.35	8.50l	
22x12.00-8	4PR	Kenda K299 Bear Claw	TL	Tyre	128948	554	294	150	80	0.35	10.00l	
	46F	Kenda K575A	TL	Tyre	273037	562	280	170	80	0.35	10.00l	E



Kenda K277
Dirt Dog



Kenda K290
Scorpion



Kenda K299
Bear Claw



Kenda K300
Dominator



Kenda K300F
Dominator



Kenda K530
Pathfinder

ATV tyres

Off road

CLICK HERE TO BUY ATV TYRES ONLINE NOW FROM WWW.ALLTERRAIN TYRES.CO.UK



Dimension	PR/LI	Tread pattern	TL/TT	Sales unit	57 07562+	mm	mm	kg	km/h	bar		
9"												
18x10.50-9	28F	Kenda K533 Klaw	TL	Tyre	265452	462	265	100	80	0.35	9.00	
	32N (4PR)	Kenda K577SX	TL	Tyre	271132	465	262	112	140	0.34	9.00	E
20x10.00-9	34F (4PR)	Kenda K290 Scorpion	TL	Tyre	272368	516	241	118	80	0.35	9.00	E
20x11-9	43N	Kenda K533 Klaw	TL	Tyre	151649	524	260	155	140	0.50	8.00	E
	43F	Kenda K535 Knarly	TL	Tyre	242187	503	258	155	80	0.50	8.00	E
	38N (4PR)	Kenda K575A	TL	Tyre	271187	514	274	132	140	0.34	9.00	E
20x11R9	43J (6PR)	Kenda K533 Klaw	TL	Tyre	292830	516	275	155	100	0.50	8.00	E
20x11.00-9	4PR	Kenda K300 Dominator	TL	Tyre	128634	508	277	132	80	0.35	9.00	E
22x10-9	39N (4PR)	Kenda K535 Knarly	TL	Tyre	292847	556	257	136	140	0.35	8.00	
22x11-9	6PR	Kenda K533 Klaw	TL	Tyre	151656	574	283	180	80	0.50	8.00	
	6PR	Kenda K535 Knarly	TL	Tyre	206257	574	283	180	80	0.50	9.00	
22x11.00-9	4PR	Kenda K300 Dominator	TL	Tyre	128924	560	275	155	80	0.35	9.00	
	2PR	Kenda K530 Pathfinder	TL	Tyre	128832	558	276	155	80	0.35	9.00	
22x12.00-9	4PR	Kenda K299 Bear Claw	TL	Tyre	128955	558	282	150	80	0.35	10.00	
25x12.00-9	2PR	Kenda K290 Scorpion	TL	Tyre	129310	610	274	185	80	0.35	9.00	
	6PR	Kenda K299 Bear Claw	TL	Tyre	265643	625	285	224	80	0.50	9.00	
	2PR	Kenda K530 Pathfinder	TL	Tyre	129259	622	286	195	80	0.35	9.00	
25x12.50-9	4PR	Kenda K299 Bear Claw	TL	Tyre	129334	666	292	195	80	0.35	10.00	
10"												
20x6-10	4PR	Kenda K532F Klaw	TL	Tyre	151588	490	160	73	80	0.35	5.00	
	4PR	Kenda K580F	TL	Tyre	292885	507	166	73	80	0.35	5.50	
20x11-10	6PR	Kenda K533 Klaw	TL	Tyre	151663	528	265	150	80	0.50	8.00	
20x11.00-10	37F (4PR)	Kenda K300 Dominator	TL	Tyre	128603	518	266	128	80	0.35	9.00	E
21x7-10	4PR	Kenda K532F Klaw	TL	Tyre	151595	514	161	93	80	0.35	5.00	E
	30N (6PR)	Kenda K573F Bear Claw EX	TL	Tyre	278018	527	177	106	140	0.50	5.50	E
	25N (4PR)	Kenda K574AF	TL	Tyre	271149	537	173	92	140	0.34	5.50	E
21x7R10	25J (4PR)	Kenda K532F Klaw	TL	Tyre	292823	520	169	93	100	0.35	5.00	E
21x7.00-10	25F	Kenda K300F Dominator	TL	Tyre	128740	532	185	92	80	0.35	6.00	E
	25F	Kenda K530F Pathfinder	TL	Tyre	269160	520	175	92	80	0.35	5.50	E
22x7-10	28F	Kenda K532F Klaw	TL	Tyre	151601	554	172	100	80	0.35	5.00	E
	28N (4PR)	Kenda K574AF	TL	Tyre	271156	560	178	100	140	0.34	5.50	E
	28F (4PR)	Kenda K574AF	TL	Tyre	292953	560	178	100	80	0.35	5.50	E
22x7.00-10	28N (4PR)	Kenda K530F Pathfinder	TL	Tyre	271095	552	182	100	140	0.34	5.50	E
22x8.00-10	31F	Kenda K299 Bear Claw	TL	Tyre	128986	550	201	109	80	0.35	6.00	E
	31F	Kenda K300F Dominator	TL	Tyre	128788	561	197	109	80	0.35	6.00	E
22x9.00-10	28F	Kenda K530 Pathfinder	TL	Tyre	265575	552	234	100	80	0.35	8.00	
22x10-10	39N (4PR)	Kenda K530 Pathfinder	TL	Tyre	271118	555	254	136	140	0.34	8.00	E
	39F (4PR)	Kenda K575A	TL	Tyre	292939	559	254	136	80	0.35	8.00	E
22x10.00-10	28F	Kenda K300 Dominator	TL	Tyre	269146	554	264	100	80	0.35	8.00	E
22x11-10	6PR	Kenda K533 Klaw	TL	Tyre	151670	578	273	175	80	0.50	8.50	E



Kenda K530F
Pathfinder



Kenda K532F
Klaw



Kenda K533
Klaw



Kenda K535
Knarly



Kenda K538
Executioner



Kenda K542F

ATV tyres

Off road



CLICK HERE TO BUY ATV TYRES ONLINE NOW FROM WWW.ALLTERRAINTYRES.CO.UK

Dimension	PR/LI	Tread pattern	TL/TT	Sales unit	57 07562+	mm	mm	kg	km/h	bar	E	
10"												
22x11.00-10	2PR	Kenda K277 Dirt Dog	TL	Tyre	128856	569	249	150	80	0.35	8.00	
	39F (4PR)	Kenda K300 Dominator	TL	Tyre	128863	554	267	136	80	0.35	8.50	E
	2PR	Kenda K530 Pathfinder	TL	Tyre	128795	545	258	150	80	0.35	8.00	
22x12.00-10	46F	Kenda K299 Bear Claw	TL	Tyre	128931	548	276	170	80	0.35	10.00	E
23x7-10	31F (4PR)	Kenda K532F Klaw	TL	Tyre	151618	578	168	109	80	0.35	5.00	E
23x7.00-10	31F	Kenda K299 Bear Claw	TL	Tyre	129020	565	180	109	80	0.35	6.00	E
	45F (6PR)	Kenda K299 Bear Claw	TL	Tyre	292809	578	188	165	80	0.70	6.00	E
23x8-10	39N (6PR)	Kenda K573F Bear Claw EX	TL	Tyre	278025	578	198	136	140	0.50	6.00	E
23x10-10	6PR	Kenda K299 Bear Claw	TL	Tyre	278001	584	258	170	80	0.50	8.00	
23x10.00-10	62F (6PR)	Kenda K299 Bear Claw	TL	Tyre	292816	610	273	265	80	1.00	8.00	E
24x11.00-10	47F (4PR)	Kenda K299 Bear Claw	TL	Tyre	129143	596	262	175	80	0.35	8.50	E
25x11-10	30N (6PR)	Kenda K573 Bear Claw EX	TL	Tyre	278087	640	278	106	140	0.50	9.00	E
25x12.00-10	2PR	Kenda K530 Pathfinder	TL	Tyre	129280	605	282	195	80	0.35	10.00	
25x12.50-10	51F	Kenda K299 Bear Claw	TL	Tyre	129297	615	303	195	80	0.35	10.00	E
11"												
23x8-11	38N (6PR)	Kenda K573F Bear Claw EX	TL	Tyre	278032	584	189	132	140	0.50	6.00	E
23x8.00-11	33F	Kenda K299 Bear Claw	TL	Tyre	129068	586	187	115	80	0.35	7.50	E
	33F (4PR)	Kenda K530F Pathfinder	TL	Tyre	272375	586	187	115	80	0.35	6.50	E
24x8-11	41N (6PR)	Kenda K573F Bear Claw EX	TL	Tyre	278049	600	198	145	140	0.50	6.00	E
24x9-11	45N (6PR)	Kenda K573F Bear Claw EX	TL	Tyre	278056	605	228	165	140	0.50	7.50	E
24x9.00-11	2PR	Kenda K290 Scorpion	TL	Tyre	129211	647	229	140	80	0.70	6.00	
	36F (4PR)	Kenda K299 Bear Claw	TL	Tyre	129228	598	222	125	80	0.35	7.50	E
	2PR	Kenda K530 Pathfinder	TL	Tyre	129204	603	229	140	80	0.35	7.00	
24x10-11	48N (6PR)	Kenda K573 Bear Claw EX	TL	Tyre	278094	602	245	180	140	0.50	8.00	E
24x10.00-11	6PR	Kenda K299 Bear Claw	TL	Tyre	270784	603	215	165	80	0.48	6.00	
25x8.00-11	4PR	Kenda K299 Bear Claw	TL	Tyre	129402	622	205	125	80	0.35	6.00	
25x10-11	50N (6PR)	Kenda K573 Bear Claw EX	TL	Tyre	278100	628	245	190	140	0.50	7.50	E
25x10.00-11	43F	Kenda K299 Bear Claw	TL	Tyre	129266	625	246	155	80	0.35	7.00	E
25x12.50-11	4PR	Kenda K299 Bear Claw	TL	Tyre	129365	640	300	195	80	0.35	10.50	
12"												
24x8.00-12	38F	Kenda K299 Bear Claw	TL	Tyre	129181	594	190	132	80	0.35	6.00	E
	2PR	Kenda K530F Pathfinder	TL	Tyre	129174	590	195	121	80	0.35	6.50	
25x8-12	38F (4PR)	Kenda K532F Klaw	TL	Tyre	271101	630	197	132	80	0.34	6.00	E
	38N (4PR)	Kenda K574AF	TL	Tyre	271163	631	210	132	140	0.34	7.00	E
	4PR	Kenda K582F	TL	Tyre	292908	642	185	132	80	0.35	6.50	
25x8.00-12	38F	Kenda K299 Bear Claw	TL	Tyre	129419	623	207	132	80	0.35	7.00	E
	38F	Kenda K530F Pathfinder	TL	Tyre	129396	624	200	132	80	0.35	6.50	E
	43L	Kenda K538 Executioner	TL	Tyre	265650	630	210	155	120	0.49	7.00	E
	52F (2PR)	Kenda K578F	TL	Tyre	292861	630	210	200	80	0.70	7.00	E



Kenda K543

Kenda K545

Kenda K570

Kenda K573
Bear Claw EX

Kenda K573F
Bear Claw

Kenda K574F

ATV tyres

Off road

CLICK HERE TO BUY ATV TYRES ONLINE NOW FROM WWW.ALLTERRAINTYRES.CO.UK

Dimension	PR/LI	Tread pattern	TL/TT	Sales unit	57 07562+ EAN-13	mm	mm	kg	km/h	bar	E	
12"												
25x10-12	50N (6PR)	Kenda K573 Bear Claw EX	TL	Tyre	278117	646	234	190	140	0.50	7.00	E
	45N (4PR)	Kenda K575A	TL	Tyre	271194	635	263	165	140	0.34	8.50	E
	4PR	Kenda K583	TL	Tyre	292915	655	235	165	80	0.35	7.50	
25x10.00-12	45F	Kenda K299 Bear Claw	TL	Tyre	129273	630	246	165	80	0.35	8.50	E
	45F (4PR)	Kenda K530 Pathfinder	TL	Tyre	129242	643	230	165	80	0.35	8.50	E
	50L	Kenda K538 Executioner	TL	Tyre	265636	630	235	190	120	0.35	7.00	E
	66F (4PR)	Kenda K579	TL	Tyre	292878	635	235	300	80	1.00	7.00	E
25x12.50-12	51F	Kenda K299 Bear Claw	TL	Tyre	129303	652	299	195	80	0.35	10.50	E
26x9.00-12	47F	Kenda K299 Bear Claw	TL	Tyre	129457	653	226	175	80	0.35	7.00	E
26x10-12	52L (6PR)	Kenda K573F Bear Claw EX	TL	Tyre	278063	657	239	200	120	0.50	7.00	E
26x12-12	52L (6PR)	Kenda K573 Bear Claw EX	TL	Tyre	278124	660	298	200	120	0.50	10.50	E
26x12.00-12	51F	Kenda K299 Bear Claw	TL	Tyre	129433	655	317	195	80	0.35	10.50	E
27x10-12	54L (6PR)	Kenda K573F Bear Claw EX	TL	Tyre	278070	680	239	212	120	0.50	7.00	E
27x10.00-12	45F	Kenda K299 Bear Claw	TL	Tyre	129471	650	245	165	80	0.35	8.50	E
	6PR	Kenda K299 Bear Claw	TL	Tyre	282039	648	245	190	80	0.50	8.50	
	54L	Kenda K538 Executioner	TL	Tyre	265711	676	240	212	120	0.49	7.00	E
27x12.00-12	51F	Kenda K299 Bear Claw	TL	Tyre	129464	659	299	195	80	0.35	10.50	E
	6PR	Kenda K299 Bear Claw	TL	Tyre	282046	655	298	224	80	0.50	10.50	
	60L	Kenda K538 Executioner	TL	Tyre	265728	673	292	250	120	0.49	8.50	E



Kenda K582F



Kenda K583



Carlisle Snow Hog



Goodyear Runamuk



Kenda K575



Kenda K577SX



Kenda K578F



Kenda K579



Kenda K580F



Kenda K581